

<b>ESD - Certificate</b>	
 <p>Name and address of certificate holder:  <b>LIBERTY SHOES LTD. (PU DIVISION)</b>  <b>Liberty Complex</b>  <b>17th Mile Stone G.T. Road</b>  <b>IND- 132114 Gharaunda-</b>  <b>Dist-Karnal (Haryana)</b></p>	 <p><b>No. 1410255-75-86-02</b> MS</p> <p>Issue date: <b>2014-11-11</b></p> <p>Valid until: <b>2018-12-10</b></p> <p>to            Type Examination Certificate <b>1310947-01-86e</b></p>
<p>Name and address of manufacturer:  <b>LIBERTY SHOES LTD. (PU DIVISION)</b>  <b>Liberty Complex</b>  <b>17th Mile Stone G.T. Road</b>  <b>IND- 132114 Gharaunda-</b>  <b>Dist-Karnal (Haryana)</b></p>	<p>Description of article:  <b>Safety footwear according to EN ISO 20345</b></p> <p>Type: <b>3003 Steel S3</b></p> <p>Applied standards:  <b>EN 61340-4-3: 2002</b></p> <p>categorisation:  <b>Electrostatic Dissipative Footwear</b></p> <p>Climatic class: <b>1 + 2 + 3</b></p>
<p>article(s):  <b>3003-01 S3, 3003-02-S3</b></p>	
<p>applied expertises [Test laboratory: Expertise(s) No]:  <b>PFI [1403800-01/04-00-01, 1404513-01/04-00-01 , 1407015-01/04-00-01]</b></p>	
<p>remarks:  <b>None</b></p>	

The samples as described above have been assessed and found to be in conformance with the requirements regarding specific ESD protection elements for the handling of electronic parts and devices.



Dr. Markus Scherer  
Certifier PPE



Dr. Monika Richter  
Head of Certification Body